

# Index

## A

Abnormal engine instrument indication.....	17-13
Absence of propeller	
Drag .....	15-7
Effect .....	15-6
Slipstream.....	15-6
Academic material (knowledge and risk management).....	4-20
Prevention through ADM and risk management.....	4-21
Prevention through proportional counter-response.....	4-21
Recovery.....	4-22
Accelerated stalls .....	4-10
Accelerate-go distance .....	12-9
Accelerate-stop distance .....	12-9
After-landing.....	2-18
After-landing roll .....	13-6
Airframe and systems .....	16-5
Airplane-based UPRT.....	4-22
Airplane configuration.....	17-4
Airplane equipment and lighting .....	10-4
Airport and navigation lighting aids .....	10-5
Airport traffic patterns and operations .....	7-2
All-attitude/all-envelope flight training methods.....	4-23
All-engine service ceiling of multiengine airplanes ....	12-9
Alternator/generator.....	12-7
Angle of attack.....	4-2, 13-2
Anti-icing/deicing .....	12-8
Approach.....	17-5
Approach and landing.....	10-8, 16-12
Night emergencies.....	10-9
Approaches to stalls (impending stalls), power-on or power-off.....	4-8
Attitude and sink rate control.....	17-4
Attitude flying.....	3-4

## B

Ballooning during round out.....	8-30
Bank control.....	3-5
Basic safety concepts .....	17-2

Before start and starting engine .....	16-10
Before-takeoff check.....	2-17
Avionics .....	2-18
Electrical system.....	2-17
Engine operation.....	2-17
Flight controls .....	2-17
Flight instruments.....	2-18
Fuel system.....	2-17
Takeoff briefing.....	2-18
Trim.....	2-17
Vacuum system .....	2-18
Bouncing during touchdown.....	8-31
Brakes .....	2-8

## C

Cabin fire .....	17-8
Captain's briefing.....	15-22
Cascade reversers.....	15-16
Chandelle .....	9-5
Climb gradient .....	12-9
Climbs and climbing turns.....	3-16
Climbing turns.....	3-18
Establishing a climb .....	3-17
Best angle of climb ( $V_X$ ).....	3-16
Best rate of climb ( $V_Y$ ) .....	3-16
Normal climb.....	3-16
Combustion heater .....	12-6
Constant radius during turning flight.....	6-4
Construction .....	16-5
Aluminum.....	16-5
Composite.....	16-5
Steel tube and fabric.....	16-5
Continuous ignition.....	15-4
Controllable-pitch propeller.....	11-4
Blade angle control.....	11-7
Climb .....	11-6
Constant-speed propeller.....	11-4
Constant-speed propeller operation.....	11-7
Cruise .....	11-6

Fixed-pitch propellers.....	11-4
Governing range.....	11-7
Takeoff.....	11-6
Control touch.....	1-1
Coordinated flight.....	4-2
Coordination.....	1-1
Correcting drift during straight-and-level flight.....	6-3
Cross-control stall.....	4-11
Crosswind after-landing roll.....	13-7
Crosswind approach and landing.....	8-14, 12-16
Crosswind after-landing roll.....	8-16
Crosswind final approach.....	8-14
Crab method.....	8-14
Wing-low (sideslip) method.....	8-15
Crosswind round out (flare).....	8-15
Crosswind touchdown.....	8-15
Maximum safe crosswind velocities.....	8-17
Crosswind takeoff.....	5-6, 13-4
Initial climb.....	5-8
Lift-off.....	5-8
Takeoff roll.....	5-6
Cruise.....	16-11

## D

Defining an airplane upset.....	4-2
Descents and descending turns.....	3-19
Descent at minimum safe airspeed.....	3-19
Emergency descent.....	3-20
Partial power descent.....	3-19
Directional control.....	13-3
Door opening in-flight.....	17-13
Drag devices.....	15-14
Drift and ground track control.....	6-3

## E

Effect and use of the flight controls	
Feel of the airplane.....	3-4
Electrical fires.....	17-8
Elementary eights.....	6-11
Eights across a road.....	6-13
Eights along a road.....	6-11
Eights around pylons.....	6-13
Eights-on-pylons.....	6-14
Elevator trim stall.....	4-12
Emergencies.....	16-12
Emergency approaches and landings (simulated).....	8-26
Emergency descents.....	17-6
Emergency landings.....	17-2
Psychological hazards.....	17-2
Types of emergency landings.....	17-2
Ditching.....	17-2

Forced landing.....	17-2
Precautionary landing.....	17-2
Emergency situations.....	17-1
Engine and propeller.....	2-9
Engine failure	
After lift-off.....	12-19
After takeoff.....	12-21
After takeoff (single-engine).....	17-6
During flight.....	12-22
Engine fire.....	17-8
Engine inoperative approach and landing.....	12-23
Engine inoperative flight principles.....	12-23
Engines.....	16-6
Engine shutdown.....	2-19
Engine starting.....	2-12
Environmental factors.....	4-18
Exhaust gas temperature (EGT).....	15-3

## F

False start.....	14-9
Faulty approaches and landings.....	8-27
Feathering.....	12-3, 12-4
Flap effectiveness.....	11-3
Flight control malfunction/failure.....	17-9
Asymmetric (split) flap.....	17-9
Landing gear malfunction.....	17-10
Loss of elevator control.....	17-9
Total flap failure.....	17-9
Flight director/autopilot.....	12-6
Flight environment.....	16-7
Flight standards service.....	1-5
Floating during round out.....	8-30
Forward slip.....	8-12
Four fundamentals.....	3-2
Climbs.....	3-2
Descents.....	3-2
Straight-and-level flight.....	3-2
Turns.....	3-2
Fowler flap.....	11-3
Fuel and oil.....	2-6
Fuel crossfeed.....	12-6, 12-22
Fuel heaters.....	15-4
Full stalls	
Power-off.....	4-8
Power-on.....	4-9
Function of flaps.....	11-2
Fundamentals of stall recovery.....	4-7

## G

Gas turbine engine.....	14-2
Glides.....	3-20

Gliding turns.....	3-21
Go-around .....	12-18
Rejected landings .....	8-12
Attitude.....	8-13
Configuration .....	8-13
Ground effect.....	8-14
Power.....	8-13
Ground loop .....	8-34, 13-8
Ground operation .....	12-12

## H

Hand propping .....	2-13
Hard landing.....	8-33
High final approach.....	8-28
High-performance airplane .....	11-1
High round out.....	8-29
Human factors.....	4-18
Diversion of attention.....	4-18
IMC .....	4-18
Sensory overload/deprivation.....	4-18
Spatial disorientation.....	4-19
Startle response.....	4-19
Surprise response.....	4-19
Task saturation .....	4-18
VMC to IMC .....	4-18
Hydraulic pump .....	11-11
Hydroplaning .....	8-35
Dynamic hydroplaning .....	8-35
Reverted rubber hydroplaning.....	8-35
Viscous hydroplaning.....	8-36

## I

Inadvertent VFR flight into IMC .....	17-15
Attitude control.....	17-16
Climbs .....	17-17
Combined maneuvers .....	17-17
Descents.....	17-17
Maintaining airplane control .....	17-15
Recognition .....	17-15
Transition to visual flight .....	17-18
Turns.....	17-16
In-flight fire.....	17-7
Initial climb.....	15-24
Inside of the airplane.....	16-8
Instrumentation .....	16-6
Integrated flight instruction.....	3-5
Intentional slips.....	8-11
Intentional spins .....	4-16
Interstage turbine temperature (ITT) .....	15-4

## J

Jet airplane approach and landing .....	15-25
Approach speed .....	15-27
Glidepath control.....	15-28
Landing requirements.....	15-25
Landing speeds.....	15-25
Approach climb .....	15-26
Landing climb.....	15-26
V <sub>REF</sub> .....	15-25
V <sub>SO</sub> .....	15-25
Stabilized approach .....	15-27
The flare .....	15-28
Touchdown and rollout .....	15-29
Jet engine basics.....	15-2
Jet engine efficiency .....	15-6
Jet engine ignition.....	15-4

## L

Landing .....	13-5, 14-10
Landing gear .....	2-8, 13-2
Instability.....	13-2
Landing gear control selected up, single-engine climb performance adequate .....	12-20
Checklist.....	12-21
Climb .....	12-21
Configuration .....	12-21
Control.....	12-20
Landing gear control selected up, single-engine climb performance inadequate.....	12-20
Landing gear down .....	12-19
Late or rapid round out .....	8-30
Lazy eight.....	9-6
Level off and cruise .....	12-14
Level turns .....	3-10
Establishing a turn .....	3-13
Medium turns.....	3-11
Shallow turns .....	3-11
Steep turns .....	3-11
Turn radius .....	3-12
Liftoff.....	13-4
Rotation .....	5-2
Light sport airplane (LSA) background.....	16-2
Loss of control in-flight (LOC-I).....	4-1
Low final approach .....	8-27
Low speed flight .....	15-10
LSA maintenance.....	16-5
LSA synopsis .....	16-3

<b>M</b>	
Mach buffet boundaries .....	15-9
Maneuvering by reference to ground objects.....	6-2
Minimum equipment list and configuration deviation list.....	15-18
Multiengine training considerations .....	12-28
<b>N</b>	
Night illusions.....	10-3
Black-hole approach.....	10-3
Visual autokinesis .....	10-3
Night vision.....	10-2
Noise abatement.....	5-13
Normal and crosswind takeoff and climb .....	12-13
Normal approach and landing.....	8-2, 12-14
After-landing roll.....	8-8
Base leg .....	8-2
Final approach .....	8-3
Estimating height and movement .....	8-5
Use of flaps .....	8-4
Round out (flare) .....	8-6
Stabilized approach concept.....	8-9
Touchdown.....	8-7
Normal takeoff.....	5-3
Initial climb .....	5-5
Lift-off.....	5-4
Takeoff roll.....	5-3, 13-3
Nose baggage compartment.....	12-7
<b>O</b>	
Operating the jet engine .....	15-3
Operational considerations.....	14-9
Operation of systems.....	12-3
Orientation and navigation.....	10-7
Outer wing surfaces .....	2-5
Outside of the airplane.....	16-9
<b>P</b>	
Parking .....	2-19
Performance and limitations .....	12-9
Pilot equipment .....	10-4
Pilot sensations in jet flying.....	15-17
Pitch and power.....	3-23
Pitch control .....	3-5
Plain (hinge) flap.....	11-3
Porpoising .....	8-32
Post-flight.....	2-19, 16-12
Securing and servicing .....	2-19
Power control.....	3-5
Power-off accuracy approaches .....	8-22
90° Power-off approach .....	8-22
180° Power-off approach .....	8-23
Preflight.....	16-7
Preflight assessment of the aircraft .....	2-2
Preparation and preflight.....	10-6
Pre-takeoff procedures .....	15-20
Prior to takeoff .....	5-2
Propellers .....	12-3
Propeller synchronization .....	12-6
<b>R</b>	
Recovery from overspeed conditions.....	15-9
Rectangular course.....	6-6
Rejected takeoff .....	12-19, 15-22
Rejected takeoff/engine failure .....	5-12
Retractable landing gear .....	11-11
Controls and position indicators.....	11-11
Emergency gear extension systems.....	11-12
Landing gear safety devices .....	11-11
Landing gear systems .....	11-11
Electrical landing gear retraction system.....	11-11
Hydraulic landing gear retraction system.....	11-11
Operational procedures.....	11-12
Approach and landing.....	11-15
Preflight .....	11-12
Takeoff and climb.....	11-13
Reverse thrust and beta range operations.....	14-7
Risk and resource management .....	2-9, 2-10
Identifying the hazard.....	2-10
Resource management.....	2-11
Aeronautical decision-making (ADM) .....	2-11
Flight deck resource management.....	2-11
Situational awareness .....	2-11
Task management.....	2-11
Risk .....	2-10
Risk assessment .....	2-10
Role of the FAA.....	1-2
Role of the flight instructor.....	1-7
Role of the pilot examiner.....	1-6
Roles of FSTDs and airplanes in UPRT .....	4-22
Rotation and lift-off .....	15-24
<b>S</b>	
Safety considerations .....	7-5
Secondary stall .....	4-10
Setting power .....	15-4
Short-field approach and landing.....	8-18, 12-17
Short-field landing .....	13-7
Short-field takeoff.....	13-4
Short-field takeoff and climb .....	12-17
Short field takeoff and maximum performance climb .....	5-10

Initial climb .....	5-11	Power-on stalls (takeoff and departure) .....	12-27
Lift-off .....	5-10	Spin awareness .....	12-28
Takeoff roll.....	5-10	Stall training.....	4-8
Sideslip.....	8-11	Standard airport traffic patterns .....	7-2
Single-engine service ceiling .....	12-9	Base leg .....	7-4
Slotted flap.....	11-3	Crosswind leg .....	7-4
Slow acceleration of the jet engine .....	15-6	Departure leg .....	7-4
Slow final approach .....	8-28	Downwind leg .....	7-4
Slow flight.....	4-3, 12-26	Entry leg .....	7-3
Maneuvering in slow flight .....	4-4	Starting, taxiing, and runup.....	10-6
Soft-field approach and landing.....	8-21	Steep spiral.....	9-4
Soft-field landing .....	13-8	Steep turns.....	9-2
Soft-field takeoff.....	13-4	Straight-and-level flight .....	3-6
Soft/rough-field takeoff and climb.....	5-11	Level flight .....	3-8
Initial climb .....	5-12	Straight flight.....	3-7
Lift-off.....	5-12	S-turns across a road .....	6-8
Sources of flight training .....	1-8	Systems malfunctions .....	17-11
Airman certification standards (ACS).....	1-10	Electrical system.....	17-11
Flight safety practices.....	1-11	Pitot-static system .....	17-12
Collision avoidance .....	1-11		
Positive transfer of controls .....	1-15	<b>T</b>	
Runway incursion avoidance .....	1-12	Takeoff and climb.....	10-7, 16-11
Stall awareness.....	1-12	Takeoff and departure .....	14-10
Use of checklists .....	1-13	Takeoff checks .....	2-18
Practical test standards (PTS).....	1-10	Takeoff roll .....	15-21
Speed margins.....	15-7	Ground roll .....	5-2
Speed sense .....	1-1	Takeoffs .....	14-10
Spin awareness.....	4-13, 12-28	Taxi .....	16-10
Spin procedures.....	4-14	Taxiing .....	2-14, 13-2
Developed phase.....	4-15	Terrain selection.....	17-4
Entry phase.....	4-14	Terrain types .....	17-5
Incipient phase.....	4-14	Confined areas .....	17-5
Recovery phase.....	4-15	Trees (forest) .....	17-5
Spiral dive .....	4-23	Water (ditching) and snow .....	17-6
Split flap.....	11-3	Thrust reversers.....	15-15
Sport pilot certificate.....	16-3	Thrust to thrust lever relationship .....	15-5
Stabilized approach.....	14-10	Timing.....	1-1
Stall characteristics .....	4-6	Tires .....	2-8
Stall recognition .....	4-5	Touchdown .....	13-5
Angle of attack indicators .....	4-6	Crosswinds .....	13-6
Feel .....	4-5	Three-point landing .....	13-5
Hearing .....	4-6	Wheel landing.....	13-6
Kinesthesia.....	4-6	Touchdown in a drift or crab .....	8-34
Vision.....	4-6	Tracking over and parallel to a straight line .....	6-6
Stalls.....	4-5, 12-26, 15-11	Training considerations.....	14-11
Accelerated approach to stall .....	12-27	Flight training.....	14-12
Engine inoperative—loss of directional control demonstration .....	12-28	Ground training .....	14-12
Full stall.....	4-5, 12-27	Training for night flight .....	10-6
Impending stall .....	4-5	Transition training.....	11-16
Power-off stalls (approach and landing) .....	12-26	Transition training considerations.....	16-4
		Flight instructors .....	16-4

Flight school .....	16-4
Trim control .....	3-5, 3-10
Turbine inlet temperature (TIT).....	15-4
Turbine outlet temperature (TOT) .....	15-4
Turbocharging.....	11-8
Ground boosting versus altitude turbocharging .....	11-9
Heat management .....	11-10
Operating characteristics .....	11-9
Turbocharger failure.....	11-10
Low manifold pressure .....	11-11
Over-boost condition .....	11-10
Turboprop airplane electrical systems .....	14-8
Turboprop engines .....	14-2
Turboprop engine types .....	14-3
Fixed shaft .....	14-3
Split shaft/free turbine engine .....	14-5
Turbulent air approach and landing .....	8-18

## U

Unusual attitudes versus upsets .....	4-17
Upset prevention and recovery .....	4-17
Upset prevention and recovery training (UPRT).....	4-19
Use of power .....	8-29

## V

$V_1$ .....	15-23
Maximum $V_1$ .....	15-23
Minimum $V_1$ .....	15-23
Reduced $V_1$ .....	15-23
Variation of thrust with RPM .....	15-5
Visibility .....	13-3
Visual inspection of the aircraft.....	2-2
Visual preflight assessment.....	2-3
V-speeds.....	12-2, 15-20
$V_{LOF}$ .....	12-2
$V_{MC}$ .....	12-2
$V_R$ .....	12-2
$V_{REF}$ .....	12-2
$V_{SSE}$ .....	12-2
$V_X$ .....	12-2
$V_{XSE}$ .....	12-2
$V_Y$ .....	12-2
$V_{YSE}$ .....	12-2

## W

Weather considerations.....	16-6
Weathervaning .....	13-3
Weight and balance.....	12-11
Basic empty weight .....	12-11
Empty weight .....	12-11
Maximum landing weight .....	12-12
Ramp weight .....	12-12
Standard empty weight.....	12-11
Zero fuel weight .....	12-11
Weight and balance requirements related to spins.....	4-17
Wheel barrowing.....	8-33
Wing rising after touchdown .....	8-35

## Y

Yaw damper .....	12-7
------------------	------